HALIA

Designed by **Studio Kairos**



VALUE PROPOSAL



Halia's design was inspired by and named after sea nymphs. With its several seat and mechanism options, Halia responds to different usage needs and provides an adaptable and comfortable seat in all areas.





Designed by **Studio Kairos**

PRODUCTION TIME



6-8 weeks + Shipping

ASSEMBLY NOTES



The product is delivered assembled.

WARRANTY



The warranty period shall be two years as of the date of delivery of the product.

Any malfunction that arises out of such use of the product that is in breach of the requirements and specifications set forth within the relevant user's manual shall be excluded from the warranty scope.

Warranty does not apply to customer's own fabric, leather, or other materials.

CLEANING & MAINTENANCE



Clean with a damp cloth with no chemical agents.

The maintenance and cleaning instructions for fabric, wood, marble, glass, metal and plastic used in our products are available in the cleaning and maintenance manual.



COLORS & MATERIALS



Seat: Polyurethane shell upholstered with selected fabrics or leathers

Legs: Powder coated or chrome plated aluminum, or selected wood veneers coated on aluminum, or solid wood depending

on the model

Glides: Plastic glides for metal legs, felt glides for wooden legs

Halia series supports following upholsteries of the Koleksiyon colours and materials catalogue. Please scan the QR code to see the fabric information.



Fabrics

- A Armoni* Polo* İstanbul
- **B** Austin* Era Alba
- **B+** Cape*
- C Antares
 Pierre
 Jeans
 Jet
 Torino
 Furnilana
 Rivet
- D Mood*
 Toledo*
 Gina *
 Duke*
 Synergy
 Main Line Flax

- E Onix* Iseo Matera Reflect
- F Twin*
 Credo*
 Chic*
 Mirange*
 Massa*
 Velvety*
 Craggan
 Oceanic
 Memory 2
 Steelcut Trio 3

Encircle

Leathers

- Genuine Leathers A
 Genuine Leathers B
 Genuine Leathers C
 Artificial Leathers
 Vita Artificial Leathers
- *These fabrics are only available for the following models:
- CH01_SV_WL_GF_H440 CH02_SV_WL_GF HIGH BACK ARMCHAIR HIGH BACK ARMCHAIR AA LOW BACK ARMCHAIR LOW BACK ARMCHAIR AA

Wood Finish



10371 WHITE OAK Natural Finish



10766 SMOKE OAK Natural Finish

Metal Finish





TYPOLOGY



Task Chairs

Page 5-7



CH01_ OP_1TM_SCH_CSF



CH02_ OP_BM_SCH_CSF MA_1TM_SCH_CSF



MA_1TM_SCH_CSF



CH04_ EX_1TM_SCH_CSF



CH01_ VSTR_BFM



CH01_ BAT



BAP

SV_WL_GF



DV_SL_GP

CH01_ DV_SB_GP



DV_BFM_ALS_GP



SV_WL_GF

Visitor Chairs

Page 7-11

Meeting Chairs

Page 11-12



MM_BFM_SCH_CSF



CH02_ $\mathsf{MM_BFM_SCH_CSF}$



 ${\sf EM_BFM_SCH_CSF}$



SV_WL_GF



CH05_ SV_SB_GP



ARMCHAIR



LOW BACK ARMCHAIR



LOW BACK ARMCHAIR AA



HIGH BACK ARMCHAIR



HIGH BACK ARMCHAIR AA

Lounge Chairs

Page 12-16





Ottoman

MM: Manager/Meeting MA: Manager Chair EM: Executive Meeting Chair EX: Executive Chair OP: Task Chair DV, SV: Visitor Chair ALS: Aluminum Star Base SCH: Chrome Star Base SL: Steel Leg WL: Wood Leg SB: Sled Base AA: Wood Veneer application on steel base CSF: Casters for Soft Flooring

BFM: Basic Fixed Mechanism **1TM:** Single Point TILT Mechanism

GP: Plastic Glides GF: Felt Glides



HALIA S2 CH01_OP_1TM_SCH_CSF







613





Dimensions:

0.37 m³

13.07 cbft³

35.93 lbs

Overall Width: 697 mm / 27.4" Overall Depth: 613 mm / 24.1"

Overall Height: 751-836 mm / 29.6-32.9"

Seat Width: 473 mm / 18.6" Seat Depth: 482 mm / 19"

Seat Height: 420-505 mm / 16.5-19.9" Arm Height: 627-712 mm / 24.7-28"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**

*Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.

**Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH01_OP_BM_SCH_CSF









Dimensions:

0.50 m³ 17 kg 17.66 cbft³ 37.48 lbs

Overall Width: 697 mm / 27.4" Overall Depth: 613 mm / 24.1"

Overall Height: 749-857 mm / 29.5-33.7"

Seat Width: 473 mm / 18.6" Seat Depth: 482 mm / 19"

Seat Height: 431-539 mm / 17-21.2" **Arm Height:** 641-749 mm / 25.2-29.5"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- Height adjustment No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify and order separately.



HALIA S2 CH02_MA_1TM_SCH_CSF



Dimensions:

0.52 m³ 20.8 kg 18.36 cbft³ 45.86 lbs

Overall Width: 697 mm / 27.4"
Overall Depth: 672 mm / 26.5"

Overall Height: 1000-1084 mm / 39.3-42.7"

Seat Width: 470 mm / 18.5" Seat Depth: 482 mm / 19" Seat Height: 425-510 mm / 16.7-20" Arm Height: 625-710 mm / 24.6-28"

For COM: Customer's Own Material

2 meters/2.19 yards of fabric required.

For COL: Customer's Own Leather

550 dm²/59.20 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**

*Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.

**Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH03_MA_1TM_SCH_CSF



Dimensions:

0.59 m³ 20.8 kg 20.84 cbft³ 45.86 lbs

Width: 697 mm / 27.4" **Depth:** 672 mm / 26.5"

Seat width: 465 mm / 18.3" **Seat depth:** 482 mm / 19"

Backrest height: 1151-1236 mm / 45.3-48.7" Seat height: 420-505 mm / 16.5-19.9" Arm height: 627-712 mm / 24.7-28"

For COM: Customer's Own Material

2.5 meters/2.73 yards of fabric required.

For COL: Customer's Own Leather

650 dm²/69.97 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- High back task chair
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**

*Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.

**Casters for hard floor use are available, please specify and order separately.



HALIA S2 CH04_EX_1TM_SCH_CSF



Dimensions:

0.57 m³ 21.2 kg 20.13 cbft³ 46.74 lbs

Overall Width: 697 mm / 27.4" 20.0 Overall Depth: 676 mm / 26.6" Seat height: 420-505 mm / 16.5-19.9"

Seat width: 465 mm / 18.3" **Seat depth:** 480 mm / 18.9"

Backrest height: 1151-1236 mm / 45.3-48.7" **Arm height:** 627-712 mm / 24.7-28"

For COM: Customer's Own Material

2.5 meters/2.73 yards of fabric required.

For COL: Customer's Own Leather

650 dm²/69.97 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- High back task chair with headrest
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**
- *Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.
- **Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH01_VSTR_BFM_SCH



Dimensions:

0.38 m³ 17 kg 13.42 cbft³ 37.48 lbs

Overall Width: 701 mm / 27.6" Overall Depth: 613 mm / 24.1" Overall Height: 770 mm / 30.3" Seat width: 470 mm / 18.5" Seat depth: 482 mm / 19" Seat height: 463 mm / 18.2" Arm height: 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated five-star base with metal glides



HALIA S2 CH01 BAT





Dimensions:

Overall Width: 663 mm / 26.1" Overall Depth: 613 mm / 24.1" Overall Height: 807 mm / 31.8" Seat Width: 470 mm / 18.5" Seat Depth: 482 mm / 19" Seat Height: 474 mm / 18.7" Arm Height: 680 mm / 26.8"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- No swivel mechanism
- No height adjustment
- No tilt mechanism
- The pyramid base is powder coated tubular steel and comes with four soft floor compatible brake unloaded casters*

*Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH01_BAP



Dimensions:

089

Overall Width: 663 mm / 26.1" Overall Depth: 613 mm / 24.1" Overall Height: 807 mm / 31.8" Seat Width: 470 mm / 18.5" Seat Depth: 482 mm / 19" Seat height: 474 mm / 18.7" Arm height: 680 mm / 26.8"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Single angle seating position.
- No height adjustment
- The pyramid base is powder coated tubular steel and comes with plastic glides



14.55 kg

32.08 lbs

0.45 m³

15.89 cbft³



HALIA S2 CH01_DV_SL_GP_H440







Dimensions:

0.28 m

Overall Width: 663 mm / 26.1" 9.89 cbft³ Overall Depth: 613 mm / 24.1"

Overall Height: 770 mm / 30.3" Seat Width: 470 mm / 18.5" **Seat Depth:** 482 mm / 19" **Seat Height:** 463 mm / 18.2" Arm Height: 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg chrome plated steel base, or 4 leg anthracite powder coated steel base, comes with plastic glides

HALIA S2 CH01_SV_WL_GF







Dimensions:



9.89 cbft³

Overall Width: 663 mm / 26.1" **Overall Depth:** 613 mm / 24.1" Overall Height: 775 mm / 30.5" Seat Width: 470 mm / 18.5" Seat Depth: 482 mm / 19" **Seat Height:** 440 mm / 17.3" Arm Height: 658 mm / 25.9"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg solid ash base, comes with felt glides



HALIA S2 CH01_DV_SB_GP





Dimensions:

099

463

Overall Width: 663 mm / 26.1"
Overall Depth: 613 mm / 24.1"
Overall Height: 770 mm / 30.3"
Seat Width: 470 mm / 18.5"
Seat Depth: 482 mm / 19"
Seat Height: 463 mm / 18.2"
Arm Height: 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- Chrome plated steel sled base, or anthracite powder coated steel sled base, comes with plastic glides

HALIA S2 CH01_DV_BFM_ALS_GP





Dimensions:

Overall Width: 663 mm / 26.1" Overall Depth: 613 mm / 24.1" Overall Height: 770 mm / 30.3" Seat height: 463 mm / 18.2" Seat width: 470 mm / 18.5" Seat depth: 482 mm / 19" Arm height: 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Powder coated 4 leg steel base with plastic glides



HALIA S2 CH02_SV_WL_GF



 0.38 m^3

13.42 cbft³ 36.38 lbs

18.36 cbft³ 39.68 lbs





Dimensions:

Overall Width: 663 mm / 26.1" Overall Depth: 672 mm / 26.5" Overall Height: 972 mm / 38.3" Seat Width: 470 mm / 18.5" **Seat Depth:** 482 mm / 19" **Seat Height:** 410 mm / 16.1" Arm Height: 610 mm / 24"

For COM: Customer's Own Material 2 meters/2.19 yards of fabric required.

For COL: Customer's Own Leather 600 dm²/64.58 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- High back visitor chair
- 4 leg solid ash base, comes with felt glides

HALIA S2 CH01_MM_BFM_SCH_CSF












Dimensions

Overall Width: 697 mm / 27.4" Overall Depth: 613 mm / 24.1" Overall Height: 820 mm / 32.3" Arm Height: 683 mm / 26.9" **Seat Width:** 470 mm / 18.5" **Seat Depth:** 482 mm / 19" **Seat Height:** 478 mm / 18.8"



1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

^{*}Casters for hard floor use are available, please specify and order separately.



HALIA S2 CH02_MM_BFM_SCH_CSF



Dimensions:

0.52 m³ 20.8 kg 18.36 cbft³ 45.86 lbs

Overall Width: 697 mm / 27.44" Overal Depth: 672 mm / 26.46" Overall Height: 1055 mm / 41.54"

Overall Height: 1055 mm / 41.5 Seat Width: 476 mm / 18.74" Seat Depth: 482 mm / 18.98" Seat Height: 473 mm / 18.62" Arm Height: 675 mm / 26.57"

For COM: Customer's Own Material

2 meters/2.19 yards of fabric required.

For COL: Customer's Own Leather

550 dm²/59.20 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Mid-height back meeting chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH03_EM_BFM_SCH_CSF



Dimensions:

0.59 m³ 19 kg 20.84 cbft³ 41.89 lbs

Width: 697 mm / 27.4"
Depth: 672 mm / 26.5"
Seat width: 465 mm / 18.3"
Seat depth: 482 mm / 19"
Backrest height: 1211 mm / 47.7"
Seat height: 466 mm / 18.4"
Arm height: 682 mm / 26.9"

For COM: Customer's Own Material

2.5 meters/2.73 yards of fabric required.

For COL: Customer's Own Leather

650 dm²/69.97 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- High back meeting chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

^{*}Casters for hard floor use are available, please specify and order separately.



HALIA S2 CH05_SV_WL_GF









Dimensions:

Overall Width: 773 mm / 30.4" Overall Depth: 646 mm / 25.4" Overall Height: 754 mm / 29.7" Seat Width: 588 mm / 23.2" **Seat Depth:** 511 mm / 20.1" **Seat Height:** 430 mm / 16.9" Arm Height: 530 mm / 20.9"

For COM: Customer's Own Material

2 meters/ 2.19 yards of fabric required.

For COL: Customer's Own Leather

600 dm²/64.58 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg solid ash base, comes with felt glides

HALIA S2 CH05_SV_SB_GP







Dimensions:

530

Overall Width: 773 mm / 30.4" Overall Depth: 646 mm / 25.4" Overall Height: 754 mm / 29.7" **Seat Width:** 588 mm / 23.2" Seat Depth: 511 mm / 20.1" **Seat Height:** 415 mm / 16.3" Arm Height: 530 mm / 20.9"

For COM: Customer's Own Material

2 meters/ 2.19 yards of fabric required.

For COL: Customer's Own Leather

600 dm²/64.58 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- Chrome plated steel sled base, or anthracite powder coated steel sled base, comes with



HALIA S2 CH01_DV_SL_GP_H440





663



Dimensions:

Overall Width: 663 mm / 26.1" Overall Depth: 613 mm / 24.1" Overall Height: 770 mm / 30.3" Seat Width: 470 mm / 18.5" Seat Depth: 482 mm / 19" Seat Height: 463 mm / 18.2" Arm Height: 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg chrome plated steel base, or 4 leg anthracite powder coated steel base, comes with plastic glides

HALIA S1 LOW BACK ARMCHAIR AA





Dimensions:

Overall Width: 766 mm / 30.2" Overall Depth: 730 mm / 28.7" Overall Height: 814 mm / 32" Seat Width: 468 mm / 18.4" Seat Depth: 480 mm / 18.9" Seat Height: 403 mm / 15.9"

For COM: Customer's Own Material

3.5 meters/ 3.83 yards of fabric required.

For COL: Customer's Own Leather

650 dm²/69.96 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell, removable cushion
- Low back armchair
- Self-return mechanism
- 4 leg wood veneer on steel base, comes with felt glides



HALIA S1 LOW BACK ARMCHAIR







0.64 m³ 24 kg 22.60 cbft³ 52.91 lbs

Dimensions:

Overall Width: 766 mm / 30.2"
Overall Depth: 730 mm / 28.7"
Overall Height: 814 mm / 32"
Seat Width: 468 mm / 18.4"
Seat Depth: 480 mm /18.9"
Seat Height: 403 mm / 15.9"

For COM: Customer's Own Material

3.5 meters/ 3.83 yards of fabric required.


For COL: Customer's Own Leather

650 dm²/69.96 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell with removable cushion
- Low back armchair
- Self-return mechanism
- 4 leg powder coated steel base, comes with plastic glides

HALIA SO ARMCHAIR





Dimensions:

424

Overall Width: 649 mm / 25.5" Overall Depth: 684 mm / 26.9" Overall Height: 781 mm / 30.7" Seat Width: 465 mm / 18.3" Seat Depth: 475 mm / 18.7" Seat Height: 424 mm / 16.7"

For COM: Customer's Own Material

3.4 meters / 3.72 yards of fabric required.

For COL: Customer's Own Leather

550 dm²/59.20 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- A 18mm beech plywood plate in special form is installed underneath the seating frame. Polishing is applied to the plate.



HALIA S1 HIGH BACK ARMCHAIR AA





Dimensions:

Overall Width: 766 mm / 30.2" Overall Depth: 805 mm / 31.7" Overall Height: 1110 mm / 43.7" Seat Width: 468 mm / 18.4" Seat Depth: 510 mm /20.1" Seat Height: 431 mm / 17"

For COM: Customer's Own Material

4 meters/4.37 yards of fabric required.

For COL: Customer's Own Leather

750 dm²/80.73 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell, removable cushion
- High back armchair with head rest
- Self-return swivel mechanism
- 4 leg powder coated steel base, comes with plastic glides

HALIA S1 HIGH BACK ARMCHAIR





Dimensions:

Overall Width: 766 mm / 30.2"
Overall Depth: 805 mm / 31.7"
Overall Height: 1110 mm / 43.7"
Seat Width: 468 mm / 18.4"
Seat Depth: 510 mm /20.1"
Seat Height: 431 mm / 17"

For COM: Customer's Own Material

4 meters/4.37 yards of fabric required.

For COL: Customer's Own Leather

750 dm²/80.73 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell, removable cushion
- High back armchair with head rest
- Self-return swivel mechanism
- 4 leg powder coated steel base, comes with plastic glides



HALIA SO OTTOMAN POUF AA









Dimensions:

Overall Width: 596 mm / 23.5" Overall Depth: 596 mm / 23.5" Overall Height: 396 mm / 15.6"

For COM: Customer's Own Material

1 meters/ 1.09 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Fixed seat and base
- 4 leg wood veneer on steel base, comes with felt glides

HALIA SO OTTOMAN POUF











Dimensions:

Overall Width: 600 mm / 23.6" Overall Depth: 600 mm / 23.6" Overall Height: 400 mm / 15.7"

For COM: Customer's Own Material

1 meters/ 1.09 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

- Steel frame structure with upholstered injected polyurethane shell
- Fixed seat and base
- 4 leg powder coated steel base, comes with plastic glides

;koleksiγon