

HALIA

Designed by
Studio Kairos



VALUE PROPOSAL



Halia's design was inspired by and named after sea nymphs. With its several seat and mechanism options, Halia responds to different usage needs and provides an adaptable and comfortable seat in all areas.

HALIA

Designed by
Studio Kairos

PRODUCTION TIME



6-8 weeks + Shipping

ASSEMBLY NOTES



The product is delivered assembled.

WARRANTY



The warranty period shall be two years as of the date of delivery of the product.

Any malfunction that arises out of such use of the product that is in breach of the requirements and specifications set forth within the relevant user's manual shall be excluded from the warranty scope.

Warranty does not apply to customer's own fabric, leather, or other materials.

CLEANING & MAINTENANCE



Clean with a damp cloth with no chemical agents.

The maintenance and cleaning instructions for fabric, wood, marble, glass, metal and plastic used in our products are available in the cleaning and maintenance manual.

*Please scan the QR code to see the cleaning and maintenance manual.



COLORS & MATERIALS



Seat: Polyurethane shell upholstered with selected fabrics or leathers

Legs: Powder coated or chrome plated aluminum, or selected wood veneers coated on aluminum, or solid wood depending on the model

Glides: Plastic glides for metal legs, felt glides for wooden legs

Halia series supports following upholsteries of the Koleksiyon colours and materials catalogue.
Please scan the QR code to see the fabric information.



Fabrics

A Armoni*
Polo*
İstanbul

B Austin*
Era
Alba

C Antares
Jeans
Jet
Torino
Furnilana
Rivet

D Mood*
Gina *
Duke*
Synergy
Main Line Flax

E Onix*
Iseo
Matera
Reflect

F Twin*
Credo*
Chic*
Mirage*
Massa*
Velvety*
Craggan
Oceanic
Memory 2
Steelcut Trio 3
Encircle

Leathers

Genuine Leathers A
Genuine Leathers B
Genuine Leathers C
Artificial Leathers
Vita Artificial Leathers


*These fabrics are only available for the following models:

CH01_SV_WL_GF_H440
CH02_SV_WL_GF
HIGH BACK ARMCHAIR
HIGH BACK ARMCHAIR AA
LOW BACK ARMCHAIR
LOW BACK ARMCHAIR AA

Wood Finish



10371
WHITE OAK
Natural Finish



10766
SMOKE OAK
Natural Finish

Metal Finish



CHROME



RAL7021
ANTHRACITE



Task Chairs

Page 5-7



Visitor Chairs

Page 7-11



Meeting Chairs

Page 11-12



Lounge Chairs

Page 12-16



Ottoman

Page 17


MM: Manager/Meeting **MA:** Manager Chair **EM:** Executive Meeting Chair **EX:** Executive Chair **OP:** Task Chair **DV, SV:** Visitor Chair
ALS: Aluminum Star Base **SCH:** Chrome Star Base **SL:** Steel Leg **WL:** Wood Leg **SB:** Sled Base **AA:** Wood Veneer application on steel base
CSF: Casters for Soft Flooring
BFM: Basic Fixed Mechanism **1TM:** Single Point TILT Mechanism
GP: Plastic Glides **GF:** Felt Glides



HALIA S2 CH01_OP_1TM_SCH_CSF



Dimensions:



- Overall Width:** 697 mm / 27.4"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 751-836 mm / 29.6-32.9"
- Seat Width:** 473 mm / 18.6"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 420-505 mm / 16.5-19.9"
- Arm Height:** 627-712 mm / 24.7-28"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:


- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**

*Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.
 **Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH01_OP_BM_SCH_CSF



Dimensions:



- Overall Width:** 697 mm / 27.4"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 749-857 mm / 29.5-33.7"
- Seat Width:** 473 mm / 18.6"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 431-539 mm / 17-21.2"
- Arm Height:** 641-749 mm / 25.2-29.5"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- Height adjustment
- No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify and order separately.

TECHNICAL DRAWINGS




HALIA S2 CH02_MA_1TM_SCH_CSF



Dimensions:

- Overall Width:** 697 mm / 27.4"
- Overall Depth:** 672 mm / 26.5"
- Overall Height:** 1000-1084 mm / 39.3-42.7"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 425-510 mm / 16.7-20"
- Arm Height:** 625-710 mm / 24.6-28"



For COM: Customer's Own Material

2 meters/2.19 yards of fabric required.

For COL: Customer's Own Leather

550 dm²/59.20 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**

*Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.


**Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH03_MA_1TM_SCH_CSF



Dimensions:

- Width:** 697 mm / 27.4"
- Depth:** 672 mm / 26.5"
- Seat width:** 465 mm / 18.3"
- Seat depth:** 482 mm / 19"
- Backrest height:** 1151-1236 mm / 45.3-48.7"
- Seat height:** 420-505 mm / 16.5-19.9"
- Arm height:** 627-712 mm / 24.7-28"



For COM: Customer's Own Material

2.5 meters/2.73 yards of fabric required.

For COL: Customer's Own Leather

650 dm²/69.97 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- High back task chair
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**

*Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.


**Casters for hard floor use are available, please specify and order separately.



HALIA S2 CH04_EX_1TM_SCH_CSF



Dimensions:



- Overall Width:** 697 mm / 27.4"
- Overall Depth:** 676 mm / 26.6"
- Seat height:** 420-505 mm / 16.5-19.9"
- Seat width:** 465 mm / 18.3"
- Seat depth:** 480 mm / 18.9"
- Backrest height:** 1151-1236 mm / 45.3-48.7"
- Arm height:** 627-712 mm / 24.7-28"

For COM: Customer's Own Material
2.5 meters/2.73 yards of fabric required.

For COL: Customer's Own Leather
650 dm²/69.97 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- High back task chair with headrest
- Swivel mechanism
- Height adjustment
- Single point tilt mechanism*
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters**


*Seats with single point tilt mechanism can be locked in an upright position or can oscillate back and forth when unlocked.

**Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH01_VSTR_BFM_SCH



Dimensions:



- Overall Width:** 701 mm / 27.6"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 770 mm / 30.3"
- Seat width:** 470 mm / 18.5"
- Seat depth:** 482 mm / 19"
- Seat height:** 463 mm / 18.2"
- Arm height:** 659 mm / 26"

For COM: Customer's Own Material
1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather
350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated five-star base with metal glides

TECHNICAL DRAWINGS




HALIA S2 CH01 BAT



Dimensions:

- Overall Width:** 663 mm / 26.1"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 807 mm / 31.8"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 474 mm / 18.7"
- Arm Height:** 680 mm / 26.8"



For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather


350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- No swivel mechanism
- No height adjustment
- No tilt mechanism
- The pyramid base is powder coated tubular steel and comes with four soft floor compatible brake unloaded casters*


*Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH01_BAP



Dimensions:

- Overall Width:** 663 mm / 26.1"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 807 mm / 31.8"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat height:** 474 mm / 18.7"
- Arm height:** 680 mm / 26.8"



For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Single angle seating position.
- No height adjustment
- The pyramid base is powder coated tubular steel and comes with plastic glides

TECHNICAL DRAWINGS



HALIA S2 CH01_DV_SL_GP_H440



Dimensions:



0.28 m³ 15 kg
9.89 cbft³ 33.07 lbs

- Overall Width:** 663 mm / 26.1"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 770 mm / 30.3"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 463 mm / 18.2"
- Arm Height:** 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg chrome plated steel base, or 4 leg anthracite powder coated steel base, comes with plastic glides

HALIA S2 CH01_SV_WL_GF



Dimensions:



0.28 m³ 13 kg
9.89 cbft³ 28.66 lbs

- Overall Width:** 663 mm / 26.1"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 775 mm / 30.5"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 440 mm / 17.3"
- Arm Height:** 658 mm / 25.9"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg solid ash base, comes with felt glides

TECHNICAL DRAWINGS



HALIA S2 CH01_DV_SB_GP

1 pcs
 0.45 m³ 14.55 kg
 15.89 cbft³ 32.08 lbs



Dimensions:

- Overall Width:** 663 mm / 26.1"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 770 mm / 30.3"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 463 mm / 18.2"
- Arm Height:** 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- Chrome plated steel sled base, or anthracite powder coated steel sled base, comes with plastic glides

HALIA S2 CH01_DV_BFM_ALS_GP

1 pcs
 0.363 m³ 15.7 kg
 12.82 cbft³ 34.61 lbs



Dimensions:

- Overall Width:** 663 mm / 26.1"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 770 mm / 30.3"
- Seat height:** 463 mm / 18.2"
- Seat width:** 470 mm / 18.5"
- Seat depth:** 482 mm / 19"
- Arm height:** 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.


Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Powder coated 4 leg steel base with plastic glides


TECHNICAL DRAWINGS



HALIA S2 CH02_SV_WL_GF



0.52 m³ 18 kg
18.36 cbft³ 39.68 lbs



Dimensions:

- Overall Width:** 663 mm / 26.1"
- Overall Depth:** 672 mm / 26.5"
- Overall Height:** 972 mm / 38.3"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 410 mm / 16.1"
- Arm Height:** 610 mm / 24"

For COM: Customer's Own Material

2 meters/2.19 yards of fabric required.

For COL: Customer's Own Leather

600 dm²/64.58 sq.ft of leather required.

Product Description:


- Steel frame structure with upholstered injected polyurethane shell
- High back visitor chair
- 4 leg solid ash base, comes with felt glides



HALIA S2 CH01_MM_BFM_SCH_CSF



0.38 m³ 16.5 kg
13.42 cbft³ 36.38 lbs



Dimensions

- Overall Width:** 697 mm / 27.4"
- Overall Depth:** 613 mm / 24.1"
- Overall Height:** 820 mm / 32.3"
- Arm Height:** 683 mm / 26.9"
- Seat Width:** 470 mm / 18.5"
- Seat Depth:** 482 mm / 19"
- Seat Height:** 478 mm / 18.8"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back meeting chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify and order separately.




TECHNICAL DRAWINGS



HALIA S2 CH02_MM_BFM_SCH_CSF



Dimensions:



0.52 m³ 20.8 kg
18.36 cbft³ 45.86 lbs

Overall Width: 697 mm / 27.44"
Overall Depth: 672 mm / 26.46"
Overall Height: 1055 mm / 41.54"
Seat Width: 476 mm / 18.74"
Seat Depth: 482 mm / 18.98"
Seat Height: 473 mm / 18.62"
Arm Height: 675 mm / 26.57"

For COM: Customer's Own Material

2 meters/2.19 yards of fabric required.

For COL: Customer's Own Leather

550 dm²/59.20 sq.ft of leather required.

Product Description:


- Steel frame structure with upholstered injected polyurethane shell
- Mid-height back meeting chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify and order separately.

HALIA S2 CH03_EM_BFM_SCH_CSF



Dimensions:



0.59 m³ 19 kg
20.84 cbft³ 41.89 lbs

Width: 697 mm / 27.4"
Depth: 672 mm / 26.5"
Seat width: 465 mm / 18.3"
Seat depth: 482 mm / 19"
Backrest height: 1211 mm / 47.7"
Seat height: 466 mm / 18.4"
Arm height: 682 mm / 26.9"

For COM: Customer's Own Material

2.5 meters/2.73 yards of fabric required.

For COL: Customer's Own Leather

650 dm²/69.97 sq.ft of leather required.

Product Description:


- Steel frame structure with upholstered injected polyurethane shell
- High back meeting chair
- Swivel mechanism
- No height adjustment
- No tilt mechanism
- Chrome plated aluminum five star base
- Soft floor compatible brake unloaded plastic casters*

*Casters for hard floor use are available, please specify and order separately.


TECHNICAL DRAWINGS



HALIA S2 CH05_SV_WL_GF



0.43 m³ 16 kg
15.18 cbft³ 35.27 lbs



Dimensions:

- Overall Width:** 773 mm / 30.4"
- Overall Depth:** 646 mm / 25.4"
- Overall Height:** 754 mm / 29.7"
- Seat Width:** 588 mm / 23.2"
- Seat Depth:** 511 mm / 20.1"
- Seat Height:** 430 mm / 16.9"
- Arm Height:** 530 mm / 20.9"

For COM: Customer's Own Material

2 meters/ 2.19 yards of fabric required.


For COL: Customer's Own Leather

600 dm²/64.58 sq.ft of leather required.


Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg solid ash base, comes with felt glides

HALIA S2 CH05_SV_SB_GP



0.59 m³ 17 kg
20.84 cbft³ 37.48 lbs



Dimensions:

- Overall Width:** 773 mm / 30.4"
- Overall Depth:** 646 mm / 25.4"
- Overall Height:** 754 mm / 29.7"
- Seat Width:** 588 mm / 23.2"
- Seat Depth:** 511 mm / 20.1"
- Seat Height:** 415 mm / 16.3"
- Arm Height:** 530 mm / 20.9"

For COM: Customer's Own Material

2 meters/ 2.19 yards of fabric required.

For COL: Customer's Own Leather

600 dm²/64.58 sq.ft of leather required.



Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back lounge chair
- Chrome plated steel sled base, or anthracite powder coated steel sled base, comes with plastic glides

TECHNICAL DRAWINGS



HALIA S2 CH01_DV_SL_GP_H440



Dimensions:

Overall Width: 663 mm / 26.1"
Overall Depth: 613 mm / 24.1"
Overall Height: 770 mm / 30.3"
Seat Width: 470 mm / 18.5"
Seat Depth: 482 mm / 19"
Seat Height: 463 mm / 18.2"
Arm Height: 659 mm / 26"

For COM: Customer's Own Material

1.5 meters/1.64 yards of fabric required.


For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Low back visitor chair
- 4 leg chrome plated steel base, or 4 leg anthracite powder coated steel base, comes with plastic glides

HALIA S1 LOW BACK ARMCHAIR AA



Dimensions:

Overall Width: 766 mm / 30.2"
Overall Depth: 730 mm / 28.7"
Overall Height: 814 mm / 32"
Seat Width: 468 mm / 18.4"
Seat Depth: 480 mm / 18.9"
Seat Height: 403 mm / 15.9"

For COM: Customer's Own Material

3.5 meters/ 3.83 yards of fabric required.

For COL: Customer's Own Leather

650 dm²/69.96 sq.ft of leather required.


Product Description:

- Steel frame structure with upholstered injected polyurethane shell, removable cushion
- Low back armchair
- Self-return mechanism
- 4 leg wood veneer on steel base, comes with felt glides

TECHNICAL DRAWINGS



HALIA S1 LOW BACK ARMCHAIR



Dimensions:

Overall Width: 766 mm / 30.2"
Overall Depth: 730 mm / 28.7"
Overall Height: 814 mm / 32"
Seat Width: 468 mm / 18.4"
Seat Depth: 480 mm / 18.9"
Seat Height: 403 mm / 15.9"

For COM: Customer's Own Material

3.5 meters / 3.83 yards of fabric required.

For COL: Customer's Own Leather



650 dm² / 69.96 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell with removable cushion
- Low back armchair
- Self-return mechanism
- 4 leg powder coated steel base, comes with plastic glides



HALIA S0 ARMCHAIR



Dimensions:

Overall Width: 649 mm / 25.5"
Overall Depth: 684 mm / 26.9"
Overall Height: 781 mm / 30.7"
Seat Width: 465 mm / 18.3"
Seat Depth: 475 mm / 18.7"
Seat Height: 424 mm / 16.7"

For COM: Customer's Own Material

3.4 meters / 3.72 yards of fabric required.

For COL: Customer's Own Leather

550 dm² / 59.20 sq.ft of leather required.


Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- A 18mm beech plywood plate in special form is installed underneath the seating frame. Polishing is applied to the plate.
- **Istanbul, Alba, Jeans, Jet, Torino, Matera, Encircle, Craggan, Oceanic**





HALIA S1 HIGH BACK ARMCHAIR AA



0.85 m³ 30 kg
30.02 cbft³ 66.14 lbs

Dimensions:

- Overall Width:** 766 mm / 30.2"
- Overall Depth:** 805 mm / 31.7"
- Overall Height:** 1110 mm / 43.7"
- Seat Width:** 468 mm / 18.4"
- Seat Depth:** 510 mm / 20.1"
- Seat Height:** 431 mm / 17"

For COM: Customer's Own Material

4 meters/4.37 yards of fabric required.


For COL: Customer's Own Leather

750 dm²/80.73 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell, removable cushion
- High back armchair with head rest
- Self-return swivel mechanism
- 4 leg powder coated steel base, comes with plastic glides

HALIA S1 HIGH BACK ARMCHAIR



0.85 m³ 30 kg
30.02 cbft³ 66.14 lbs

Dimensions:

- Overall Width:** 766 mm / 30.2"
- Overall Depth:** 805 mm / 31.7"
- Overall Height:** 1110 mm / 43.7"
- Seat Width:** 468 mm / 18.4"
- Seat Depth:** 510 mm / 20.1"
- Seat Height:** 431 mm / 17"

For COM: Customer's Own Material

4 meters/4.37 yards of fabric required.

For COL: Customer's Own Leather

750 dm²/80.73 sq.ft of leather required.


Product Description:

- Steel frame structure with upholstered injected polyurethane shell, removable cushion
- High back armchair with head rest
- Self-return swivel mechanism
- 4 leg powder coated steel base, comes with plastic glides

TECHNICAL DRAWINGS



HALIA S0 OTTOMAN POUF AA



Dimensions:

Overall Width: 596 mm / 23.5"
Overall Depth: 596 mm / 23.5"
Overall Height: 396 mm / 15.6"

For COM: Customer's Own Material

1 meters/ 1.09 yards of fabric required.


For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Fixed seat and base
- 4 leg wood veneer on steel base, comes with felt glides

HALIA S0 OTTOMAN POUF



Dimensions:

Overall Width: 600 mm / 23.6"
Overall Depth: 600 mm / 23.6"
Overall Height: 400 mm / 15.7"

For COM: Customer's Own Material

1 meters/ 1.09 yards of fabric required.

For COL: Customer's Own Leather

350 dm²/37.67 sq.ft of leather required.

Product Description:

- Steel frame structure with upholstered injected polyurethane shell
- Fixed seat and base
- 4 leg powder coated steel base, comes with plastic glides

☺koleksiyon