

ASANDA S2 CHAIRS

Design;	Faruk Malhan
Materials&Finishes ;	<p>a- A unique design for the seat and the back as a single shell is presented for all model types.</p> <p>b- The back, arms and seat shell in one piece is injected as a soft polyurethane on a steel structure.</p> <p>c- Wooden legs are from solid wood pieces turned in a conical form.</p> <p>d- Metal frames in tubular steel with a variety of thicknesses are bent in specific forms for different tasks and models. The metal frames are optionally finished in an epoxy coat or in chrome. Alternatively, black plastic caps or wheels for soft flooring can be used.</p> <p>e- For the task chairs a different mechanism is used.</p> <p>f- For the visitor chair type S BM UA basic mechanism plate is used. Black gaslift, black starbase Unica (swiss) and plastic feet are specified.</p> <p>g- For the operator chair type S BM basic mechanism plate is used. Black gaslift, black starbase Unica (swiss) and plastic feet are specified.</p> <p>h- For the operator chair type S TM black tilt mechanism is used. The back angle can be locked in three different angle positions. Black gaslift, black starbase Unica (swiss) and plastic feet are specified.</p> <p>i- The Chair Family's Stacking Limits;</p> <ol style="list-style-type: none"> 1. SG10 Chair 6 pieces to stack. 2. Chairs with armrest 6 pieces to stack. 3. Chairs without armrest 6 pieces to stack. 4. Chairs with writing tablets and task chairs with mechanisms can not be stacked.
Assembly;	<p>a- Seat and the mechanism are assembled with metric screws.</p> <p>b- Wooden legs are assembled to the main shell with double-sided threaded lag screws</p> <p>c- All other leg types with the metal structures are assembled to the PU seat unit's metal carcass by metric screws.</p>



ASANDA S2 MISAFIR S AA

L:512D:545H:858mm

ASANDA S2



ASANDA S2 SG10 SANDALYE


L:573D:562H:808mm



ASANDA S2 SS KA

L:624D:584H:838mm

ASANDA S2



ASANDA S2 KLCKSZ S KA

L:636D:571H:844mm



ASANDA S2

ASANDA S2 KLCKL S KA

L:636D:571H:844mm



ASANDA S2 SS KYT R

L:636D:666H:844mm



ASANDA S2

ASANDA S2 SS KYT L

L:636D:666H:844mm



ASANDA S2 BAR S KLCKSZ

L:652D:593H:1144mm



ASANDA S2 MISAFIR S SWISS

L:512D:574H:819mm