


CAPELLA S0 SEATING SERIES	
Materials & Finishes;	<ul style="list-style-type: none">a- The carcass is constructed with wood structure composed with 15mm plywood plates. Seat and back are constructed in one piece. The outer sides of the frame is cladded with 3mm MDF to achieve a higher quality in upholstery.b- To achieve the desired flexibility the frame is supported by elastic belts on the seating area. High Resilience foam is padded with an extra gray foam bump for seating comfort. Inside the arms Gray foam, inside the back HR foam is used. Above the arms EVA foam is applied.c- On top of all, a 150g dacron fiber cover is dressed before the application of fabric.d- All fabric and leather upholstery is fixed.e- Legs are of special design in laser cut and bent steel and painted in an epoxy coat finish.
Assembly;	<ul style="list-style-type: none">f- Elastic Belts are fixed with size 10 Staples.g- For all the inner foam construction, water-based adhesives are applied.h- The legs are assembled with M6 screws.

Product Speect Sheet


KOLEKSİYON

CAPELLA S0



CAPELLA S0 80 DERİ KOLTUK

L:810 D:803 H:792 mm




CAPELLA S0 139 DERİ KANEPE

L:1396 D:803 H:792 mm


Product Spect Sheet

CAPELLA S0



CAPELLA S0 199 KNP


L:1996 D:803 H:792 mm



CAPELLA S0


CAPELLA S0 80 N KOLTUK

L:810 D:803 H:792 mm



CAPELLA S0 139N KANEPE

L:1396 D:803 H:792 mm



CAPELLA S0 199 N KNP

L:1996 D:803 H:792 mm

CAPELLA S0
