


TELLASMAR S2


TELLASMAR S2	
Design;	Faruk Malhan
Malzeme & Bitişler;	<ul style="list-style-type: none">a- The carcass is constructed with a wood structure composed with 15mm plywood plates. Seat and back are constructed in one piece. The outer sides of the frame is clad with 3mm MDF to achieve a higher quality in upholstery.b- To achieve the desired flexibility the frame is supported by elastic belts on the seating area. High Resilience foam is padded with an extra gray foam bump for seating comfort. Inside the arms Gray foam, inside the back HR foam is used. Above the arms EVA foam is applied.c- On top of all, a 150g dacron fiber cover is dressed before the application of fabric.d- All fabric and leather upholstery is fixed.e- On the top rear line of the arms and the back and top front line of the seat, piping is applied.
Assembly;	<ul style="list-style-type: none">a- Elastic Belts are fixed with size 10 Staples. The fabrics are fixed to the profiles with size 8 staples.b- The wooden strips are fixed to the frame with Size 10 construction nails. Other wooden strips are assembled with 3.8x25mm self-drilling screws.c- Specially designed metal leg is assembled to the frame with M6 screws. There are plastic caps for the floor.

TELLASMAR S2



TELLASMAR S2 97 KOLTUK

L:978 D:919 H:747mm





TELLASMAR S2 160 KANEPE

L:1600 D:919 H:747mm

Product Speet sheet





KOLEKSIYON

TELLASMAR S2



TELLASMAR S2 180 KANEPE

L:1800 D:919 H:747mm



TELLASMAR S2 200 KANEPE

L:2000 D:919 H:747mm