





TULIP SOFA SERIES S0

- Design;** Faruk Malhan
- Materials & Finishes;**
- a- The sofa is produced in a single carcass in 20x20x1.2mm and 20x50x2mm tubular steel that is also the base for the feet to be assembled. The back and seat are constructed in one piece. To upholster the sofa, solid wood strips are mounted around the frame where the fabric can be fixed. The frame is painted with an anti-corrosive agent to prevent rusting. To achieve a higher quality of upholstery workmanship, the outer sides of the frame is clad with 3mm MDF:
 - b- To achieve the desired flexibility the frame is supported by 450E elastic belts on the seating area.
 - c- On the seat 8cm 35 D40 HR foam and 3cm 36d Soft foam is padded with an extra of 150+150gr fiber for comfort.
 - d- On the back 3cm 35 Density High Resilience foam and 3cm 32D 50 Gray foam is applied.
 - e- On the arms 3cm 35D40 HR foam and 3cm 32d Hyper foam is applied.
 - f- The inner cover is a 150gr fiber layer.
 - g- The upholstery is fixed with options of fabric, soft natural leather and artificial leather.
 - h- Back cushions are with 3cm Soft Foam and 3cm 25D Hyper foam on both outer faces. On the front side of the cushion 1000gr fiber is used with 150gr fiber on the sides of the cushion. Back cushion upholstery cover is dressed with a zipper.
 - i- The legs are in 100x10R cold drawn steel with an epoxy coat finish.
 - j- The horizontal beams in the leg structure are in extruded aluminum with a black anodized finish.
- Assembly;**
- k- Solid wood strips that fix the elastic belts, are assembled to the metal structure with size 10 construction nails. All other wood strips are assembled with 3,8x25mm drilling screws.
 - l- 3mm MDF plates are assembled to the structure with 3,9x16mm drilling screws.
 - m- When constructing the foam structure, a specific adhesive for upholstery, as ÜNÜ-TEK 89 is applied.
 - n- Specifically designed for this sofa, the cold-drawn lama legs are painted with an epoxy coat in black and assembled to the main structure with M6 metric screws.

TULIP Oturma Grubu S0







TULIP S0 154 KANEPE

W:1546 D:823 H:767

ÜRÜN STANDARDI

TULIP Oturma Grubu S0

KOLEKSİYON



TULIP S0 224 KANEPE

W:2242 D:823 H:767

